Application No. 09/103,745 Reply to Office Action of April 13, 2007 Page 2 of 7

Amendments to the Claims:

This claim listing will replace all prior versions and listings of claims in the application:

Claim Listing:

- (currently amended) A <u>modified phosphorothioate oligonucleotide eomposition</u> for inhibiting specific gene expression with reduced side effects, the <u>modification</u> <u>composition comprising a phosphorothioate oligonucleotide containing consisting of a</u> modified CpG dinucleotide, wherein the oligonucleotide is complementary to a portion of a genomic region or gene for which inhibition of expression is desired, or to RNA transcribed from such a gene, and wherein the modified CpG is 2'-O-substituted CpG.
- (canceled)
- 3. (currently amended) A method for providing a CpG-containing phosphorothioate oligonucleotide with reduced side effects of splenomegaly and depletion of platelets when administered to a mammal, comprising administering to the mammal a composition an oligonucleotide comprising a modified CpG-containing phosphorothioate oligonucleotide that is CpG dinucleotide, wherein the oligonucleotide is complementary to a portion of a genomic region or gene for which inhibition of expression is desired, or to RNA transcribed from such a gene, and wherein the modified CpG is selected from the group consisting of alkylphosphonate CpG, 2*O-substituted CpG, phosphotriester CpG, stereospecific phosphorothioate CpG, phosphoramidate CpG, inverted CpG and 2*-5* CpG.
- 4. (currently amended) A method for providing [[c]] CpG-containing phosphorothioate oligonucleotide[[.]] with reduced side effects[[.]] to an individual with a disease caused by aberrant gene expression, the method comprising administering to an individual having the disease a composition an oligonucleotide comprising a modified CpG-containing phosphorothioate oligonucleotide that is CpG dinucleotide, wherein the oligonucleotide is complementary to a portion of a genomic region or gene that is aberrantly expressed, or to RNA transcribed from such a gene, and wherein the modified CpG is selected from the group consisting of alkylphosphonate CpG, 2**O substituted

Application No. 09/103,745 Reply to Office Action of April 13, 2007 Page 3 of 7

CpG, phosphotriester CpG, stereospecific phosphorothioate CpG, phosphoramidate CpG, inverted CpG and 2'-5' CpG.

- (currently amended) A method for reducing side effects of a CpG-containing phosphorothioate oligonucleotide administered to a mammal, comprising:
 - (a) providing a CpG-containing phosphorothioate oligonucleotide having a CpG modification selected from the group consisting of alkylphosphonate CpG, inverted CpG, 2'-O-substituted CpG, stereospecific phosphorothioate CpG, phosphotriester CpG, phosphoramidate CpG, and 2'-5' CpG; and (b) administering the modified CpG-containing phosphorothioate oligonucleotide to the mammal.

wherein administration of the modified CpG-containing phosphorothioate oligonucleotide results in fewer side effects that than the administration of an unmodified CpG-containing phosphorothioate oligonucleotide.

6. - 15. (canceled)

- 16. (New) A method for providing a CpG-containing phosphorothioate oligonucleotide with reduced side effects of splenomegaly and depletion of platelets when administered to a mammal, comprising administering to the mammal a modified oligonucleotide wherein the modification consists of a modified CpG dinucleotide, wherein the oligonucleotide is complementary to a portion of a genomic region or gene for which inhibition of expression is desired, or to RNA transcribed from such a gene, and wherein the modified CpG is 2'-O-substituted CpG.
- 17. (New) A method for providing CpG-containing phosphorothioate oligonucleotide with reduced side effects to an individual with a disease caused by aberrant gene expression, the method comprising administering to an individual having the disease a modified oligonucleotide wherein the modification consists of a modified CpG dinucleotide, wherein the oligonucleotide is complementary to a portion of a genomic region or gene that is aberrantly expressed, or to RNA transcribed from such a gene, and wherein the modified CpG is 2"-O-substituted CpG.

Application No. 09/103,745 Reply to Office Action of April 13, 2007 Page 4 of 7

- 18. (New) A method for reducing side effects of a CpG-containing phosphorothioate oligonucleotide administered to a mammal, comprising:
 - (a) providing a modified CpG-containing phosphorothioate oligonucleotide wherein the modification consists of a 2'-O-substituted CpG modification; and(b) administering the modified CpG-containing phosphorothioate oligonucleotide to the mammal.

wherein administration of the modified CpG-containing phosphorothioate oligonucleotide results in fewer side effects than the administration of an unmodified CpG-containing phosphorothioate oligonucleotide.